THE QWEAK EXPERIMENT: A SEARCH FOR NEW PHYSICS AT THE TEV SCALE VIA A MEASUREMENT OF THE PROTON'S WEAK CHARGE

Roger D. Carlini, Jefferson Laboratory

The QWeak experiment at Jefferson laboratory was recently approved to challenge predictions of the Standard Model and search for new physics via a precision measurement of parity violating electron scattering on the proton at very low Q^2 and forward angles. A unique opportunity exists to carry out the first precision measurement of the proton's weak charge, $Q^p_W=1$ - $4\sin^2\Theta_W$, at JLab, building on technical advances that have been made in the laboratory's world-leading parity violation program and using the results of earlier experiments to constrain hadronic corrections. A 2200 hour measurement of the parity violating asymmetry in elastic ep scattering at $Q^2=0.03$

(GeV/c)² employing 180 μ A of 80% polarized beam on a 35 cm liquid Hydrogen target will determine the proton's weak charge with 4% combined statistical and systematic errors. The Standard Model makes a firm prediction of Q^p_W , based on the running of the weak mixing angle $\sin^2\Theta_W$ from the Z0 pole down to low energies, corresponding to a 10 sigma effect in our experiment. Any significant deviation of $\sin^2\Theta_W$ from the Standard Model prediction at low Q^2 would be a signal of new physics, whereas agreement would place new and significant constraints on possible Standard Model extensions. In the absence of physics beyond the Standard Model, our experiment will provide a 0.3% measurement of $\sin^2\Theta_W$, making this a very competitive standalone measurement of the weak mixing angle.

E-mail:carlini@jlab.org